

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5 : A61K 7/24		A1	(11) International Publication Number: WO 94/03147
			(43) International Publication Date: 17 February 1994 (17.02.94)
(21) International Application Number: PCT/US93/06744 (22) International Filing Date: 19 July 1993 (19.07.93) (30) Priority data: 07/923,037 31 July 1992 (31.07.92) US (71) Applicant: THE PROCTER & GAMBLE COMPANY [US/US]; One Procter & Gamble Plaza, Cincinnati, OH 45202 (US). (72) Inventors: MAJETI, Satyanarayana ; 7477 Greenfarms Drive, Cincinnati, OH 45224 (US). GUAY, Christopher, Barry ; 11943 Briarfield Court, Cincinnati, OH 45240 (US). CRISANTI, Mark, Matthew ; 8961B Harper Point Drive, Cincinnati, OH 45249 (US).		(74) Agents: REED, T., David et al.; The Procter & Gamble Company, 5299 Spring Grove Avenue, Cincinnati, OH 45202 (US). (81) Designated States: AU, BB, BG, BR, BY, CA, CZ, FI, HU, JP, KP, KR, KZ, LK, MG, MN, MW, NO, NZ, PL, RO, RU, SD, SK, UA, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>	
(54) Title: ORAL COMPOSITIONS			
(57) Abstract			
Oral compositions possessing antiplaque and antigingivitis properties containing stannous gluconate are described herein.			
BEST AVAILABLE COPY			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	MR	Mauritania
AU	Australia	GA	Gabon	MW	Malawi
BB	Barbados	GB	United Kingdom	NE	Niger
BE	Belgium	GN	Guinea	NL	Netherlands
BF	Burkina Faso	GR	Greece	NO	Norway
BG	Bulgaria	HU	Hungary	NZ	New Zealand
BJ	Benin	IE	Ireland	PL	Poland
BR	Brazil	IT	Italy	PT	Portugal
BY	Belarus	JP	Japan	RO	Romania
CA	Canada	KP	Democratic People's Republic of Korea	RU	Russian Federation
CF	Central African Republic	KA	Republic of Korea	SD	Sudan
CG	Congo	KZ	Kazakhstan	SE	Sweden
CH	Switzerland	LJ	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovak Republic
CM	Cameroon	LU	Luxembourg	SN	Senegal
CN	China	LV	Latvia	TD	Chad
CS	Czechoslovakia	MC	Monaco	TG	Togo
CZ	Czech Republic	MG	Madagascar	UA	Ukraine
DE	Germany	ML	Mali	US	United States of America
DK	Denmark	MN	Mongolia	UZ	Uzbekistan
ES	Spain			VN	Viet Nam
FI	Finland				

ORAL COMPOSITIONS

5

TECHNICAL FIELD

The present invention relates to oral compositions such as liquid dentifrices, toothpastes, mouthwashes, chewing gum, tablets and powders which provide antiplaque and antigingivitis benefits.

10

BACKGROUND OF THE INVENTION

Plaque is recognized as a precursor of such oral diseases as caries and gingivitis. The gums of the mouth of humans and lower animals may be harmed by deposits of dental plaque, a combination of minerals and bacteria found in the mouth. The bacteria associated with plaque can secrete enzymes and endotoxins which can irritate the gums and cause an inflammatory gingivitis. As the gums become increasingly irritated by this process they have a tendency to bleed, lose their toughness and resiliency, and separate from the teeth, leaving periodontal pockets in which debris, secretions, more bacteria and toxins further accumulate. It is also possible for food to accumulate in these pockets, thereby providing nourishment for increased growth of bacteria and production of endotoxins and destructive enzymes. This can result in destruction of bone and gum tissue.

20

With such problems being possible from plaque/gingivitis it is not surprising that extensive efforts have been expended in trying to find effective treatment compositions. Many of these efforts have used quaternary ammonium compounds or bis-biquanides such as chlorhexidine which is used in Peridex® sold by The Procter & Gamble Company.

25

Another material which has been considered is stannous ion. Such a material is disclosed in Svaton B., "Plaque Inhibiting Effect of Dentifrices Containing Stannous Fluoride", Acta Odontol. Scand., 36, 205-210 (1978); and Bay I., and Rolla, G., "Plaque Inhibition and Improved Gingival Condition by Use of a Stannous Fluoride Toothpaste", Scand. J. Dent. Res., 88, 313-315 (1980). Additionally stannous fluoride stabilized with stannous gluconate has been used to treat plaque and gingivitis and disclosed in U.S. Patent 5,004,597, April 2,

30

35

-2-

1991 to Majeti et al.

In spite of the many disclosures in the antiplaque/antigingivitis area, the need for products still exists. The present invention is directed to the recognition that stannous gluconate when used without
5 stannous fluoride, or with only very low levels of this material can provide plaque and gingivitis reductions.

It is an object of the present invention therefore to provide compositions which deliver an improved antiplaque/antigingivitis
10 benefit.

It is a further object of the present invention to provide improved products utilizing stannous gluconate.

It is still a further object of the present invention to provide an effective method for treating plaque/gingivitis with the above
15 described compositions.

These and other objects will become clearer from the detailed description which follows.

All percentages and ratios used herein are by weight of the total composition unless otherwise specified. Additionally, all
20 measurements are made at 25°C in the composition or in an aqueous solution/dispersion unless otherwise specified.

SUMMARY OF THE INVENTION

The present invention embraces an oral composition comprising:

- a) a safe and effective amount of stannous gluconate; and
 - 25 b) a pharmaceutically acceptable carrier
- wherein said composition has a pH of from about 3.0 to about 5.0 and is substantially free of calcium ion sources and stannous fluoride. By "substantially free" is meant less than about 0.05% for stannous fluoride and less than about 2.0% for the other materials.

30 The present invention also encompasses a method for retarding the development of plaque/gingivitis using these compositions.

DETAILED DESCRIPTION OF THE INVENTION

The compositions of the present invention comprise stannous gluconate and a pharmaceutically acceptable carrier.

35 By "oral composition" as used herein means a product which in the ordinary course of usage is not intentionally swallowed for purposes of systemic administration of particular therapeutic agents, but is rather retained in the oral cavity for a time sufficient to contact

-3-

substantially all of the dental surfaces and/or oral tissues for purposes of oral activity.

By "safe and effective amount" as used herein means sufficient amount of material to provide the desired benefit while being safe to the hard and soft tissues of the oral cavity.

By the term "comprising", as used herein, is meant that various additional components can be conjointly employed in the compositions of this invention as long as the listed materials perform their intended functions.

By the term "carrier", as used herein, is meant a suitable vehicle which is pharmaceutically acceptable and can be used to apply the present compositions in the oral cavity.

Stannous Gluconate

Stannous gluconate is the essential component of the present compositions. This material is a known stannous chelate and may be provided to the present compositions as the chelate or as separate soluble stannous and gluconate salts and the chelate formed in-situ. Such salts include stannous chloride and sodium gluconate. Stannous gluconate is present in the present compositions at a level of from about 0.1% to about 11%, preferably from about 2% to about 4%.

Pharmaceutically Acceptable Carrier

The carrier for the stannous components can be any vehicle suitable for use in the oral cavity. Such carriers include the usual components of toothpastes, mouthwashes, tooth powders, prophylaxis pastes, lozenges, gums and the like and are more fully described hereinafter. Dentifrices and mouthwashes are the preferred systems.

The abrasive polishing material contemplated for use in the dentifrice aspect of the present invention can be any material which does not excessively abrade dentin. These include, for example, silicas including gels and precipitates, insoluble sodium polymetaphosphate, β -phase calcium pyrophosphate, hydrated alumina, and resinous abrasive materials such as particulate condensation products of urea and formaldehyde, and others such as disclosed by Cooley et al. in U.S. Patent 3,070,510, December 25, 1962, incorporated herein by reference. Mixtures of abrasives may also be used.

Silica dental abrasives, of various types, can provide the unique

-4-

benefits of exceptional dental cleaning and polishing performance without unduly abrading tooth enamel or dentin. For these reasons they are preferred for use herein.

5 The silica abrasive polishing materials useful herein, as well as the other abrasives, generally have an average particle size ranging between about 0.1 and 30 microns, preferably 5 and 15 microns. The silica abrasive can be precipitated silica or silica gels such as the silica xerogels described in Pader et al., U.S. Patent 3,538,230,
10 issued March 2, 1970 and Digiulio, U.S. Patent 3,862,307, June 21, 1975, both incorporated herein by reference. Preferred are the silica xerogels marketed under the tradename "Syloid" by the W. R. Grace & Company, Davison Chemical Division. Preferred precipitated silica materials include those marketed by the J. M. Huber Corporation under
15 the tradename, "Zeodent", particularly the silica carrying the designation "Zeodent 119". These silica abrasives are described in U.S. Patent 4,340,583, July 29, 1982, incorporated herein by reference.

20 The abrasive in the compositions described herein is present at a level of from about 6% to about 70%, preferably from about 15% to about 25% when the dentifrice is a toothpaste. Higher levels, as high as 95%, may be used if the composition is a toothpowder.

25 Flavoring agents can also be added to dentifrice compositions. Suitable flavoring agents include oil of wintergreen, oil of peppermint, oil of spearmint, oil of sassafras, and oil of clove. Sweetening agents which can be used include aspartame, acesulfame, saccharin, dextrose, levulose and sodium cyclamate. Flavoring and sweetening agents are generally used in dentifrices at levels of from about 0.005% to about 2% by weight.

30 Dentifrice compositions can also contain emulsifying agents. Suitable emulsifying agents are those which are reasonably stable and foam throughout a wide pH range, including non-soap anionic, nonionic, cationic, zwitterionic and amphoteric organic synthetic detergents. Many of these suitable surfactants are disclosed by Gieske et al. in U.S. Patent 4,051,234, September 27, 1977, incorporated herein by
35 reference.

It is common to have a water-soluble fluoride compound present in dentifrices and other oral compositions in an amount sufficient to

-5-

give a fluoride ion concentration in the compositions at 25°C and/or when it is used of from about 0.0025% to about 5.0% by weight, preferably from about 0.005% to about 2.0% by weight, to provide additional anticaries effectiveness. Preferred fluorides are sodium fluoride, indium fluoride, and sodium monofluorophosphate. Norris et al., U.S. Patent 2,946,735, issued July 26, 1960 to Widder et al., U.S. Patent 3,678,154, issued July 18, 1972 disclose such salts as well as others.

Water is also present in the toothpastes of this invention. Water employed in the preparation of commercially suitable toothpastes should preferably be deionized and free of organic impurities. Water generally comprises from about 10% to 50%, preferably from about 20% to 40%, by weight of the toothpaste compositions herein. These amounts of water include the free water which is added plus that which is introduced with other materials such as with sorbitol.

In preparing toothpastes, it is necessary to add some thickening material to provide a desirable consistency. Preferred thickening agents are carboxyvinyl polymers, carrageenan, hydroxyethyl cellulose and water soluble salts of cellulose ethers such as sodium carboxymethyl cellulose and sodium carboxymethyl hydroxyethyl cellulose. Natural gums such as gum karaya, gum arabic, and gum tragacanth can also be used. Colloidal magnesium aluminum silicate or finely divided silica can be used as part of the thickening agent to further improve texture. Thickening agents in an amount from 0.5% to 5.0% by weight of the total composition can be used.

It is also desirable to include some humectant material in a toothpaste to keep it from hardening. Suitable humectants include glycerin, sorbitol, and other edible polyhydric alcohols at a total level of from about 15% to about 70%.

Also desirable for inclusion in the toothpastes of the present invention are other stannous salts such as stannous pyrophosphate and antimicrobials such as quaternary ammonium salts, bis-biquanide salts, nonionic antimicrobial salts and flavor oils. Such agents are disclosed in U.S. Patent 2,946,735, July 26, 1960, to Norris et al., U.S. Patent 4,894,220, January 16, 1990 to Nabi et al., and U.S. Patent 4,051,234, September 27, 1977 to Gieske et al., incorporated herein by reference. These agents, if present, are included at levels

-6-

of from about 0.01% to about 1.5%.

Another preferred embodiment of the present invention is a mouthwash composition. Conventional mouthwash composition components can comprise the carrier for the antimicrobial of the present invention. Mouthwashes generally comprise from about 20:1 to about 2:1 of a water/ethyl alcohol solution and preferably other ingredients such as flavor, sweeteners, humectants and sudsing agents such as those mentioned above for dentifrices. The humectants, such as glycerin and sorbitol give a moist feel to the mouth. Generally, on a weight basis the mouthwashes of the invention comprise 5% to 60% (preferably 18% to 25%) ethyl alcohol, 0% to 20% (preferably 5% to 20%) of a humectant, 0% to 2% (preferably 0.01% to 0.15%) emulsifying agent, 0% to 0.5% (preferably 0.005% to 0.06%) sweetening agent such as saccharin, 0% to 0.3% (preferably 0.03% to 0.3%) flavoring agent, and the balance water. The amount of additional antimicrobial agent in mouthwashes is typically from about 0.01% to about 1.5% by weight. Mouthwash type products may also be formed by dissolving a powder or tablet containing stannous gluconate in water just prior to use.

Suitable lozenge and chewing gum components are disclosed in U.S. Patent 4,083,955, April 11, 1978 to Grabenstetter et al., incorporated herein by reference.

The pH of the present compositions and/or its pH in the mouth can be any pH which is safe for the mouth's hard and soft tissues and will provide optimal effect of the stannous gluconate. Such pH's are from about 3.0 to about 5.0, preferably from about 4.0 to about 5.0, most preferably about 4.5.

The present compositions may cause some staining of hard surfaces in the mouth. Such staining may be reduced or eliminated by using a composition containing pyrophosphate ions and/or citric ions as disclosed in copending application 781,443, filed October 23, 1991, incorporated herein by reference.

METHOD OF MANUFACTURE

The carrier compositions of the present invention can be made using methods which are common in the oral products area. A specific method of manufacture is set forth in the Examples.

COMPOSITION USE

The present invention in its method aspect involves applying to

-7-

the oral cavity safe and effective amounts of the compositions described herein. These amounts (e.g. from about 0.3 to about 15g), if it is a toothpaste or mouthwash, are kept in the mouth for from about 15 to about 60 seconds.

The following examples further describe and demonstrate preferred embodiments within the scope of the present invention. The examples are given solely for illustration and are not to be construed as limitations of this invention as many variations thereof are possible without departing from the spirit and scope thereof.

EXAMPLE I
Toothpaste

	<u>Weight %</u>	<u>Weight %</u>
Water	12.500	12.500
Sorbitol	45.425	44.552
Glycerin	10.198	10.198
15 Titanium Dioxide	0.525	0.525
Silica	20.000	20.000
Na Carboxymethyl Cellulose	1.050	1.050
Magnesium Aluminum Silicate	0.408	0.408
Na Alkyl Sulfate (27.9% Solution)	4.000	4.000
Na Gluconate	1.738	3.476
Stannous Chloride Dihydrate	1.794	1.794
Na Saccharin	0.200	0.200
20 Flavor	0.851	0.851
FD&C Blue #1 (1% Solution)	0.051	0.051
Na Monofluoro Phosphate	0.760	-
Na Hydroxide (50% Solution)	0.500	0.395
pH	4.5	4.5

EXAMPLE II
Mouthrinse

	<u>Weight %</u>	<u>Weight %</u>
25 Stannous Chloride Dihydrate	0.519	0.519
Sodium Gluconate	0.521	1.041
Glycerin	8.000	12.000
Sorbitol (70% Aqueous Solution)	-	-
Ethanol	10.000	10.000
Polysorbate 80	0.300	0.300
30 Sodium Saccharin	0.050	0.050
Flavor	0.150	0.150
Sodium Hydroxide	0.020	0.020
Benzoic Acid	0.050	0.050
FD&C Blue #1 (1% Solution)	0.020	0.020
Sodium Monofluoro Phosphate	0.183	-
Water pH	80.187	77.850

35 EXAMPLE III
Topical Gel

	<u>Weight %</u>	<u>Weight %</u>
Stannous Chloride Dihydrate	1.794	2.153
Sodium Gluconate	1.750	2.082

-8-

	Glycerin	91.896	70.000
	Sorbitol (70% Solution)	-	21.765
	Sodium Carboxymethyl Cellulose	0.600	0.800
	Hydroxyethyl Cellulose	-	-
	Flavor	1.000	1.000
5	Sodium Saccharin	0.200	0.200
	Sodium Alkyl Sulfate (27.9%)	2.000	2.000
	Sodium Monofluoro Phosphate	0.760	-

EXAMPLE IV
Mouthrinse Tablet

	Stannous Chloride Dihydrate	0.519g	0.519g
	Sodium Gluconate	0.500g	0.700g
10	Flavor	0.150g	0.150g
	Sodium Saccharin	0.050g	0.200g
	Mannitol	0.773g	-
	Sodium Carboxymethyl Cellulose	0.050g	-
	Sodium Benzoate	0.030g	0.025g
	Citric Acid	-	0.200g
	Sodium Carbonate	-	0.100g
15	Sodium Bicarbonate	-	0.200g
	Glycine	-	0.050g
	Sodium Monofluoro Phosphate	0.183g	-
		2.255g	2.144g
	Dissolve	Dissolve	
	in 97.745g	in 97.856g	
	water	water	

20

WHAT IS CLAIMED IS:

25

30

35

-9-

1. An oral composition effective in treating plaque/gingivitis comprising:
 - (a) a safe and effective amount of stannous gluconate; and
 - (b) a pharmaceutically acceptable carrierwherein the ph of said composition is from about 3.0 to about 5.0 and said composition is substantially free of a calcium ion source(s) and stannous fluoride.
2. An oral composition according to Claim 1 wherein the amount of stannous gluconate is from about 0.1% to about 11%.
3. An oral composition according to Claim 1 or 2 wherein the pharmaceutically acceptable carrier is a toothpaste which also contains an effective amount of sodium monofluorophosphate.
4. An oral composition according to any of Claims 1-3 which also contains a silica dental abrasive.
5. An oral composition according to any of Claims 1-4 which also contains another stannous salt.
6. An oral composition according to Claim 2 wherein the pharmaceutically acceptable carrier is a mouthwash.
7. An oral composition according to Claim 6 which also contains a material selected from the group consisting of a humectant, ethanol, a nonionic surfactant and mixtures thereof.
8. An oral composition according to Claim 2 wherein the pharmaceutically acceptable carrier is a lozenge.
9. An oral composition according to Claim 2 wherein the pharmaceutically acceptable carrier is a chewing gum.
10. An oral composition according to Claim 2 which is in the form of a gel or a tablet.

INTERNATIONAL SEARCH REPORT

PCT/US 93/06744

International Application No

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) ⁴		
According to International Patent Classification (IPC) or to both National Classification and IPC		
Int.Cl. 5 A61K7/24		
II. FIELDS SEARCHED		
Minimum Documentation Searched ⁷		
Classification System	Classification Symbols	
Int.Cl. 5	A61K	
Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched ⁸		
III. DOCUMENTS CONSIDERED TO BE RELEVANT⁹		
Category ¹⁰	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³
Y	GB,A,1 009 480 (PROCTER & GAMBLE) 10 November 1965 see claims 1-12; example 1A ---	1-10
Y	FR,A,2 406 437 (LION) 18 May 1979 see claims 1-6; example 2 ---	1-10
Y	GB,A,2 216 005 (PROCTER & GAMBLE) 4 October 1989 see claims 1-11 -----	1-10
<p>* Special categories of cited documents: ¹⁰</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"A" document member of the same patent family</p>		
IV. CERTIFICATION		
Date of the Actual Completion of the International Search		Date of Mailing of this International Search Report
12 OCTOBER 1993		1
International Searching Authority		Signature of Authorized Officer
EUROPEAN PATENT OFFICE		WILLEKENS

**ANNEX TO THE INTERNATIONAL SEARCH REPORT
ON INTERNATIONAL PATENT APPLICATION NO.**

US 9306744
SA 77134

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

12/10/93

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
GB-A-1009480		None	
FR-A-2406437	18-05-79	JP-C- 1314900	28-04-86
		JP-A- 54059339	12-05-79
		JP-B- 60043324	27-09-85
		AU-A- 4084178	24-04-80
		CA-A- 1113007	24-11-81
		DE-A- 2845822	03-05-79
		GB-A, B 2007974	31-05-79
		US-A- 4363794	14-12-82
GB-A-2216005	04-10-89	US-A- 4902497	20-02-90

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.